





OVERVIEW

Series 539 Emergency Box with up arrow supplied as standard. Multiple fixing options and available in self test.

FEATURES

- 6500K
- Legend accessories available
- Surface mount installed
- Black or White Polycarbonate body
- 30m Viewing distance
- 4 years warranty
- Angle adjustment downlight



OPTIONS

- Maintained or self test
- White or Black


T: 01282 476600 | E: info@photoniclighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH


www.photoniclighting.co.uk



PRODUCT DIMENSIONS



PHOTOMETRIC



PRODUCT SPECIFICATION

539 - (FN) - (CR) - 865

Function (FN)		
Code	Description	
M	Maintained	
SL	Self Test	

Accessories	
Code	Description
539-L-L	Legend Left
539-L-R	Legend Right
539-L-D	Legend Down

Housing Colour (CR)	
Code	Description
WH	White
BK	Black*
*Only M version	

Correlated Colour Temperature (CCT)	
Code	Description
865	80 CRI 6500K

T: 01282 476600 | E: info@photoniclighting.co.uk Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photoniclighting.co.uk

This document is uncontrolled if printed, all information is subject to change. Generated on 19/06/24



Emergency



OPTIONS



T: 01282 476600 | E: info@photoniclighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photoniclighting.co.uk

This document is uncontrolled if printed, all information is subject to change. Generated on 19/06/24