



OVERVIEW

The Series 821 is an IP44 family of deep recessed tuneable white ceiling downlights with a Satin Etched Multi-Faceted reflector, available in five different sizes. Ideal for illumination of commercial spaces, offices, corridors, of both new buildings and refurb, Series 821 comes as tuneable white from 3000K to 5700K controlled via Casambi Bluetooth.

FEATURES

- IP44 in five sizes for a wide range of applications
- 3-4 different output options per luminaire, up to 4000 lumens
- 110 to 120 delivered Lumens per Watt
- Fully tuneable colour temperature and dimmable via Casambi controls

OPTIONS


- Five different size options
- Multiple output options
- Tuneable CCT




SERIES 821

Downlights

PRODUCT DIMENSIONS



PHOTOMETRIC



T: 01282 476600 | E: info@photonighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photonighting.co.uk

SERIES 821

Downlights

PRODUCT SPECIFICATION

821 - (SZ) - (OT) - (CCT) - (CN)

Size (SZ)		Lumen Output (OT)	
Code	Description	Code	Description
113	Ø113mm	7	700 lumen (7W)
		9	900 lumen (10W)
		11	1100 lumen (12W)
145	Ø145mm	7	700 lumen (10W)
		11	1100 lumen (13W)
		15	1500 lumen (17W)
174	Ø174mm	9	900 lumen (10W)
		13	1300 lumen (13W)
		18	1800 lumen (17W)
		22	2200 lumen (21W)
205	Ø205mm	15	1500 lumen (13W)
		20	2000 lumen (17W)
		25	2500 lumen (21W)
		30	3000 lumen (25W)
232	Ø232mm	10	1000 lumen (11W)
		19	1900 lumen (20W)
		29	2900 lumen (29W)
		40	4000 lumen (41W)

Correlated Colour Temp (CCT)	
Code	Description
TW	Tuneable White

Control (CN)	
Code	Description
BC	Bluetooth Casambi

T: 01282 476600 | E: info@photonicleighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photonicleighting.co.uk