

SERIES 831

Downlights

PHOTONIC.
LIGHTING SOLUTIONS



OVERVIEW


Series 831 is a low glare recessed LED downlight with Ø80mm bezel. Manufactured with an injection moulded 36° reflector & moulded baffle with Die cast Bezel. Lifetime >50,000 hours L70 with 5 year warranty. This is a made to order product.

FEATURES

- Low glare
- >50,000 hours
- Flicker free
- 5 year warranty

OPTIONS

- 3000K or 4000K
- DALI, Casambi or other control available
- Emergency options



T: 01282 476600 | E: info@photonicleighting.co.uk


Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photonicleighting.co.uk


SERIES 831

Downlights

PRODUCT DIMENSIONS



PHOTOMETRIC



PRODUCT SPECIFICATION

831 - 7 - (CCT) - (CR) - (CTR) - (EM)

Lumen Output (LM)	
Code	Description
7	750lm (8W)

Control (CTR)	
Code	Description
N	Switched
PHD	Phase Dim
D	DALI
RD	Retractive Dim
BC	Bluetooth Casambi

Correlated Colour Temperature (CCT)	
Code	Description
830	80 CRI 3000K
840	80 CRI 4000K

Emergency (EM)	
Code	Description
L3	3W Emergency
DE3	Dali 3W Emergency

Colour (CR)	
Code	Description
W	White

T: 01282 476600 | E: info@photoniclighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photoniclighting.co.uk

SERIES 831

Downlights

OPTIONS



T: 01282 476600 | E: info@photoniclighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photoniclighting.co.uk