

SERIES 837

Downlights

PHOTONIC.
LIGHTING SOLUTIONS



OVERVIEW

Series 837 is a high performance Circular recessed LED downlight with Ø130mm. There are a choice of outputs up to 4500lm and a choice of drop glass options to suit any application. Series 837 is also versatile with offering multiple control options including DALI and wireless Casambi. The luminaire is made from Die cast bezel with an die cast heatsink using thermodynamics to provide good thermal management. This is a made to order product.

FEATURES

- Lifetime >50,000 hours @ L80
- IP20
- Excellent thermal management
- High Quality LED & Driver combination
- 5 year warranty

OPTIONS

- 3000K & 4000K
- DALI & Wireless Casambi options
- Drop glass options
- Emergency options





T: 01282 476600 | E: info@photonighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photonighting.co.uk

Downlights

PHOTONIC.
LIGHTING SOLUTIONS



Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photoniclighting.co.uk

SERIES 837

Downlights

PRODUCT SPECIFICATION

837 - (LM) - (CCT) - (CR) - (OP) - (DG) - (CTR) - (EM)

Lumen Output (LM)	
Code	Description
10	1000 Lumens (8W)
18	1800 Lumens (13.5W)
25	2500 Lumens (19W)
33	3300 Lumens (27W)
45	4500 Lumens (40W)

Correlated Colour Temperature (CCT)	
Code	Description
830	80 CRI 3000K
840	80 CRI 4000K

Colour (CR)	
Code	Description
W	White RAL9010
B	Black RAL9005
G	Grey RAL9006
BW	Brilliant White RAL9016

Drop Glass Choice (DG)	
Code	Description
CH	Clear Halo Glass
EH	Etched Halo Glass

Emergency (EM)	
Code	Description
L3	3W Lithium Emergency
DE3	DALI Emergency

Control (CTR)	
Code	Description
N	Non Dimmable
RD	Retractive Dim
D	Dali Dim
BC	Bluetooth Casambi

Beam angle (OP)	
Code	Description
25	25° reflector
40	40° reflector
50	50° reflector
60	60° reflector

OPTIONS



T: 01282 476600 | E: info@photonicleighting.co.uk

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

www.photonicleighting.co.uk