



### OVERVIEW

Series 839 is a high performance Circular recessed LED downlight with Ø232mm. There are a choice of outputs up to 3000lm and a large choice of IP rating and glass options to suit any application. Series 839 is also versatile with offering multiple control options including DALI and wireless Casambi. The luminaire is made from Die cast bezel with an aluminium extruded heatsink to provide good thermal management. This is a made to order product.

### FEATURES

- Lifetime >60,000 hours @ L70
- IP20 with options to increase
- Excellent thermal management
- High Quality LED & Driver combination

### OPTIONS

- 3000K & 4000K
- DALI & Wireless Casambi options
- Ingress Protection choices
- Lenses for all applications
- Emergency options




Made  
To  
Order


# SERIES 839

## Downlights

### PRODUCT DIMENSIONS



### PHOTOMETRIC



T: 01282 476600 | E: [info@photonighting.co.uk](mailto:info@photonighting.co.uk)

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

[www.photonighting.co.uk](http://www.photonighting.co.uk)

# SERIES 839

## Downlights

### PRODUCT SPECIFICATION

839 - (LM) - (CCT) - (OP) - (CTR) - (IP) - (EM)

Lumen Output (LM)		Correlated Colour Temperature (CCT)		Beam angle (OP)	
Code	Description	Code	Description	Code	Description
10	1000 Lumens (9.5W)	830	80 CRI 3000K	50	50° reflector
20	2000 Lumens (17.5W)	840	80 CRI 4000K	40	40° reflector
30	3000 Lumens (30.5W)				
48	4800 Lumens (46.5W)				

Control (CTR)		IP Rating (IP)		Emergency (EM)	
Code	Description	Code	Description	Code	Description
N	Non Dimmable	20	IP20	L3	3W Lithium Emergency
RD	Retractive Dim	54	IP54	DE3	DALI Emergency
D	Dali Dim	65G	IP65 Clear Glass		
BC	Bluetooth Casambi	65O	IP65 Opal Polycarbonate		
		65C	IP65 Clear Polycarbonate		

### OPTIONS



T: 01282 476600 | E: [info@photonicleighting.co.uk](mailto:info@photonicleighting.co.uk)

Unit 1 Boran Court, Network 65, Hapton, Burnley BB11 5TH

[www.photonicleighting.co.uk](http://www.photonicleighting.co.uk)